

# Axtra<sup>®</sup> XB

RELIABILITY AND PERFORMANCE FOR MIXED GRAIN DIETS

**Danisco Animal Nutrition** 

# Axtra<sup>®</sup> XB

### The first enzyme combination for pigs and all poultry including game birds

#### **Multi-species and flexibility**

- Flexible dosing variable inclusion rate according to feed ingredients to maximise value
- Registered in the EU for use in piglets, grower-finisher pigs, broilers, turkeys, layers, ducks and minor poultry species e.g. pheasants, partridge

#### **Consistency and reliability**

- Xylanase and ß-glucanase enzyme combination for activity against dietary fibre in mixed grain diets, resulting in improved digestibility and increased profitability
- Proven in trials to consistently improve FCR and daily weight gain across all species

## Convenience in application

 Easily used in combination with Danisco Animal Nutrition's Phyzyme<sup>®</sup> XP phytase offering good opportunities for additional feed cost savings

#### **Superior heat stability**

- Thermo protection technology (TPT) granule for superior thermostability in feed pelleted up to 90°C (194°F)
- Range of liquid and dry product forms for ease of handling in the feed mill

#### Why is dietary fibre costly to animal performance?

The nutritional value of grains and other raw materials is negatively affected by their dietary fibre content. Key components of soluble and insoluble dietary fibre include arabinoxylans and ß-glucans, found in plant cell walls (see table right).

The negative effects of soluble and insoluble dietary fibre include:

- acting as a physical barrier to the animal's own enzymes, encapsulating useful nutrients
- increasing digesta viscosity leading to:
  - decreased feed intake by slowing the passage rate of digesta in the gut
  - reduced nutrient utilisation as the animal's own enzymes cannot easily reach their substrate
- causing valuable energy and protein/amino acids to be wasted as the animal needlessly produces more of its own enzymes that are inappropriate to deal with dietary fibre
- wet litter or soft/watery faeces due to detrimental changes to the gut microflora

Poorly digested feed reduces animal performance, increases the costs of production and lowers profitability.

#### How can Axtra® XB help?

Axtra<sup>®</sup> XB is a preparation of endo-1,4-ß-xylanase and endo-1,3(4)-ß-glucanase produced by *Trichoderma reesei*.

Xylanase and &-glucanase in Axtra® XB target the antinutrients arabinoxylan and &-glucan found in the fibre in grains and other raw materials.

By targeting these fibre components **Axtra® XB improves digestion** by helping release nutrients; reducing digesta viscosity; reducing the production of excessive secretions into the gut (reduced endogenous losses) and improves litter quality and faecal consistency.

Grain	Arabinoxylan content %	Arabinoxylan solubility %	ß-glucan content %
Wheat	6.0	25	0.7
Barley	7.4	12	3.8
Rye	8.5	33	1.8
Triticale	5.7	24	1.5
Oats	8.6	5	2.5
Corn	3.9	8	0.1




#### Axtra® XB makes it easy

With the assurance of Danisco Animal Nutrition's science-based approach to animal nutrition, Axtra® XB is a versatile product that is easy to use.

Axtra® XB has:

- multi-species registration
- flexibility in dose rate
- liquid and dry product forms
- excellent efficacy across a range of raw materials
- market leading heat stability



Meta analysis of 5 broiler trials. Mixed grain diets. FCRc - Bodyweight corrected FCR (feed conversion ratio).


#### **Consistent performance benefits**

Axtra<sup>®</sup> XB gives consistent economic improvements in performance across a wide range of animal species and diet types, adding value to feed and animal production.

#### **Product form benefits**


- Available as a liquid and a dry granular product
- TPT granule ensures thermostability to 90°C (194°F) during pelleting
- Free flowing and dust-free for safe, accurate handling in the feed mill
- Liquid product enables easy post pelleting application

#### Turkeys FCR, 1-16 weeks % improvement vs control



ADAS, Gleadthorpe, UK. Mixed grain diets. <sup>ab</sup>P<0.05

#### Piglets FCR, 9-32 kg % improvement vs control



IRTA, Spain. Mixed grain diets.  $^{\rm ab}{\rm P}{<}0.05$ 

#### How best to use Axtra® XB

Axtra® XB is designed and extensively tested for use in pig and poultry feeds based on mixed grains, e.g. wheat, barley, rye, triticale, oats, corn and vegetable protein meal.

Higher feed cost savings are achievable by using Axtra® XB in combination with Danisco Animal Nutrition's Phyzyme® XP phytase to maximise nutrient release.

Axtra<sup>®</sup> XB feed formulation matrix values for maximum feed cost savings are available on request from Danisco Animal Nutrition.

#### **Product form**

#### Axtra® XB TPT

Packed in 25 kg multi-wall polyethylene lined paper bags, or 1000 kg bulk (tote) bags.

#### Axtra® XB L

Packed in containers of 200 kg and 1000 kg.

#### **Product concentrations**

Axtra® XB comes in a variety of concentrations and blends. To find out which concentration or blend is most suitable for your use please contact your local distributor or Danisco Animal Nutrition regional office.



Copyright© 2012 DuPont or its affiliates. All rights reserved. The DuPont Oval Logo, DuPont<sup>™</sup> and all products denoted with ® or <sup>™</sup> are registered trademarks or trademarks of DuPont or its affiliates. Local regulations should be consulted regarding the use of this product, as legislation regarding its use may vary from country to country. Advice regarding the legal status of this product may be obtained on request. The information contained in this publication is based on our own research and development work and to our knowledge is reliable. Always read the label and product information before use. Users should conduct their own tests to determine the suitability of our products for their own specific purposes. Statements contained in this publication should not be considered as, and do not constitute a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.

To find your nearest local office or distributor visit www.animalnutrition.dupont.com

Danisco Animal Nutrition (Head office) PO Box 777, Marlborough, Wilts, SN8 1XN, UK Tel +44 (0) 1672 517777 info.animalnutrition@dupont.com www.animalnutrition.dupont.com

